LOCKHART LGA DATABOOK

MPHN HEALTH NEEDS ASSESSMENT 2022-2025



















TABLE OF CONTENTS

Health Needs Assessment process	3
Data disclaimer	4
Executive summary	6
Population and geography	7
Town based populations and demography	7
Demography	8
Aboriginal and Torres Strait Islander people	12
Mothers, babies and children	13
Older people	16
Population health	17
Mortality	17
Health conditions	19
Health behaviours	21
Technical notes	23
MPHN LGA Data Prioritisation Tool	23
Socio-Economic Indexes for Areas (SEIFA)	24
Age Standardised Rate (ASR)	24

Murrumbidgee Primary Health Network acknowledges the Traditional Custodians of the land in the Murrumbidgee region. We pay respect to past and present Elders of this land: the Wiradjuri, Yorta Yorta, Baraba Baraba, Wemba Wemba and Nari Nari peoples.

Publication date: February 2023

firsthealth Limited trading as Murrumbidgee Primary Health Network (ABN 15 111 520 168).

Murrumbidgee Primary Health Network gratefully acknowledges the financial and other support from the Australian Government Department of Health. The Primary Health Networks Program is an Australian Government Initiative.

While the Australian Government Department of Health has contributed to the funding of this material, the information contained in it does not necessarily reflect the views of the Australian Government and is not advice that is provided, or information that is endorsed by, the Australian Government. The Australian Government is not liable in negligence or otherwise for any injury, loss or damage however arising from the use of or reliance on the information provided in this material.

HEALTH NEEDS ASSESSMENT PROCESS

The Murrumbidgee Health Needs Assessment, in line with the firstHealth Board endorsed framework, with governance provided by Clinical Councils, the Community Advisory Committee and the Planning and Integration sub-committee, uses a population approach to needs assessment using person centred planning with a strong commitment to community input.

Murrumbidgee Primary Health Network (MPHN) analyses data from robust gold standard comparable sources such as the Australian Bureau of Statistics and Australian Institute of Health and Welfare in the first instance supplemented by other sources. A decision-making tool is used at MPHN which identifies and prioritises needs based on variables that score local impact relative to national data, where MPHN is in the lowest third of the nation. Further, a Data Prioritisation Tool (refer page 23 for details) is used at a Local Government Area (LGA) level to identify areas where issues/needs are higher in comparison to the New South Wales (NSW) and Murrumbidgee averages. This highlights the LGAs in the lower half of the Murrumbidgee region and is summarised separately in the region profiles on MPHN's website. The matrix scoring is described at the end of this document in more detail. Throughout this document variables scoring three or greater using the matrix are denoted by their respective colour coding, these variables are likely to have higher impact within this LGA.

The use of an LGA approach ensures we are working in alignment with the Murrumbidgee Local Health District (MLHD) health clusters. This allows a more considered co-ordinated approach to services and reduces on duplication of service delivery.

Inequity in healthcare remains a significant issue for many areas in the Murrumbidgee region. Comprehensive socio-economic profiling allows identification of areas where this may affect uptake of healthcare services and consequent poorer health outcomes for those living in these areas. MPHN emphasises in identification of priorities for the region the particular local government areas where efforts should be concentrated in order to address the inequity.

Monitoring of emerging health conditions remains a priority for MPHN with ongoing consultations aimed at identification of emerging issues and subsequent interventions.

MPHN undertakes consultation with key partners, health professionals and community members. Multiple formats are used to undertake these consultations including:

CONVERSATIONS ON THE COUCH

A community consultation approach to capture the needs of people who would not normally engage through a formal process. Community members are invited to meet in a neutral location with high thoroughfare to allow people to chat MPHN staff in a face-to-face environment to discuss health matters important to them. There is no set agenda or questions and is simply an opportunity for people to let MPHN know about health matters important to them and their community. Information gathered during these conversations is collected and used to help MPHN better understand the health needs of our communities.

YARNS ON THE COUCH

Yarns on the Couch is an extension of our Conversations on the Couch with a focus on Aboriginal health. Data collected at both activities is used to help guide the Health Needs Assessment.

HNA COMMUNITY FEEDBACK

There are two options for survey feedback, one short form survey called HNA Mini, and one longer form survey of 17 questions called HNA Community Feedback. Both these survey mechanisms have also been modified to target Aboriginal and Torres Strait Islander people, or those who care for this population group. All these surveys are available year-round and aim to gather information about emerging health needs.

OTHER FEEDBACK MECHANISMS

There are several other opportunities for MPHN to capture feedback from our stakeholders. This includes, but not limited to:

- Incidental feedback from community and health care practitioners to MPHN staff during the normal course of business operations.
- An audit annually of general practice and health care providers to inform workforce capacity.
- MPHN co-design and formal consultation with specific population groups as part of commissioned project work.
- Engagement with MPHN's partners in our various consortium, alliance and steering committee groups. These groups cover various issues relating to Aboriginal health; older people and aged care; mental health, alcohol and other drug, and suicide prevention and aftercare; chronic disease; and emergency response.
- Engagement and feedback with Local Health Advisory Committees (LHACS) which are situated in 33 locations throughout the Murrumbidgee region.
- Feedback from MPHN's governance members, including Board Directors, and members the Community Advisory Committee and four Clinical Councils.
- Review of data collected by its commissioned services throughout the year and other internal data sources to confirm service provision and identify service gaps that may exist.
- · Media and social media monitoring for local emerging health needs and issues.

Once all information is gathered and analysed by MPHN, data is provided back to communities and health providers for validation of the developed priorities from the data.

DATA DISCLAIMER

This report is presented for the purpose of disseminating information for the benefit of people living in Murrumbidgee communities. The report includes data freely available on public websites such as the Australian Institute of Health and Welfare and the Australian Bureau of Statistics.

Data in this report remain confidential and primarily for MPHN's internal use. This report may be shared externally with express permission at the discretion of MPHN's CEO. If the latter is the case data may be used by an external organisation for planning purposes but should not be shared outside that organisation.


Data from Commonwealth secure confidential websites have not been included in this report. Data have not been interpreted.

MPHN has taken all steps to ensure the information in this report is as accurate as possible and correct at time of report. Data may vary to other publically available sources due to differing sources accessed.

MPHN does not guarantee, and accepts no legal liability whatsoever arising from, or connected to, the use of any material contained in this report. MPHN recommends users exercise their own skill and care with respect to use of this report.

Contact for data queries: hna@mphn.org.au

LOCKHART LGA



POSTCODE	TOWNS
2655	French park, The Rock, Tootool
2656	Lockhart, Milbrulong, Osborne, Urangeline, Urangeline East

EXECUTIVE SUMMARY

Lockhart Local Government Area (LGA) has a population of 3,259, which ranks 18th out of 21 LGAs in population size within the Murrumbidgee Primary Health Network (MPHN). Between 2021 to 2041 the estimated population of Lockhart LGA is expected to decline by almost six per cent, which is estimated to be the third largest decline in this period among all MPHN LGAs.

The median age between the two biggest towns in the Lockhart LGA, Lockhart (median age = 51 years) and The Rock (median age = 42 years) range considerably. Lockhart LGA has the highest socio-economic index in the Murrumbidgee region and is higher than the NSW average. Accordingly, the levels of rental and mortgage stress in the Lockhart LGA are lower than the NSW and MPHN average.

Lockhart LGA has a greater percentage of people aged 65 years and over compared to the NSW and MPHN averages. The Aboriginal and Torres Strait Islander population is similar in the Lockhart LGA to MPHN's average, and slightly higher than the NSW average. Compared to NSW and other MPHN LGAs, Lockhart LGA has a higher proportion of people born in Australia, and lower proportions of people born overseas in both English and non-English-speaking countries.

The median age of death for males is slightly higher for males but slightly lower for females in the Lockhart LGA, compared to the MPHN and NSW averages. The premature death rate for males aged 0 to 74 years is higher when compared to NSW and other MPHN LGAs. In contrast, the premature death rate for females is similar to the NSW and MPHN average. For cancer incidence, the Lockhart LGA has higher than NSW and MPHN rate for lung cancer, prostate cancer, breast cancer, and melanoma. When compared to the NSW and MPHN average, a higher prevalence of those 0 to 14 years, and aged 15 years and over report living with a medically diagnosed mental health condition, such as depression or anxiety.

Prevalent risk factors in Lockhart LGA include a higher than NSW and MPHN average for those reporting low, very low, or no exercise in the previous week, young males (2 to 17 years) who are obese, and risky alcohol consumption among males. The region has a higher than the NSW and MPHN average for domestic assault and liquor offenses.



POPULATION AND GEOGRAPHY

ESTIMATED RESIDENT POPULATION	POPULATION CHANGE Between 2021-2041	LGA AREA KM²	POPULATION DENSITY PERSONS/KM ²			
2021 — ABS						
N=246,073 3,319	1,141 (32.8%)	2,896	1.1			

ESTIMATED POPULATION CHANGE 2021-2041					
2021 — NSW PLANNING & ENVIRONMENT					
UNDER 19 YEARS	20-64 YEARS	65+ YEARS	TOTAL YEARS		
2021 N=908 2041 N=1,174 266 (29.3%)	2021 N=1,613 2041 N=2,265 652 (40.3%)	2021 N=776 2041 N=998 222 (28.7%)	2021 N=3,297 2041 N=4,438 1,141 (32.8%)		

TOWN BASED POPULATIONS AND DEMOGRAPHY

	POPULATION	MEDIAN AGE	NUMBER PRIVATE DWELLINGS 2021 — ABS	AVERAGE PEOPLE PER HOUSEHOLD	NUMBER OF Families	AVERAGE Children Per Family
			ZUZ I — ADS			
Lockhart	1,019	51	491	2.2	275	1.9
The Rock	1,347	42	526	2.6	344	2.2

	MEDIAN WEEKLY Household income	MEDIAN MONTHLY Mortgage repayment	MEDIAN WEEKLY Rent		
2021 — ABS					
Lockhart \$1,111 \$867 \$195					
The Rock	\$1,358	\$1,300	\$245		

POPULATION OTHER TOWNS					
2021 — ABS					
French park	17				
Milbrulong	119				
Osborne	32				
Tootool	51				
Urangeline	31				
Urangeline east	37				

DEMOGRAPHY

SEIFA						
	2016	– ABS				
	INDEX SCORE (BASED ON MINIMUM SCORE FOR MAXIMUM SCORE FOR AUSTRALIAN SCORE OF 1000) SA 1S IN AREA SA 1S IN AREA					
NSW	1,001.7	323	1184			
MPHN	969.9	478	1144			
Lockhart Shire	1,012.9	917	1069			
Lockhart	953					
The Rock	999					

	AGE GROUPS							
	2020 — ERP							
	PERSONS 0-14 years	PERSONS 15-24 Years	PERSONS 25-44 YEARS	PERSONS 45-64 YEARS	PERSONS 65+ Years	PERSONS 70+ Years	PERSONS 75+ Years	PERSONS 85+ Years
NSW	18.5%	12.8%	28.0%	24.6%	15.7%	10.7%	7.0%	2.2%
MPHN	19.6%	12.0%	22.6%	25.7%	18.9%	13.3%	8.7%	2.7%
Lockhart	682 (20.9%)	353 (10.8%)	586 (18.0%)	871 (26.7%)	767 (23.5%)	401 (16.4%)	346 (10.6%)	132 (4.1%)

GENDER GENERAL						
	2021 — ABS					
	MALES FEMALES					
	N	%	N	%		
NSW	3,984,166	49.4	4,087,995	50.6		
MPHN	125,500	50.3	126,798	49.7		
Lockhart	1,649	49.7	1,669	50.3		

EDUCATION							
	2020 — ABS						
	PEOPLE WHO LEFT SCHOOL AT Year 10 or Below, or did Not go to School	FULL-TIME PARTICIPATION In Secondary School Education at age 16	PARTICIPATION IN VOCATIONAL Education and Training - Non-Indigenous Population	SCHOOL LEAVER Participation in Higher Education			
NSW	33.0 per 100	84.1%	17.8 per 100	28.3%			
MPHN	42.0 per 100	74.2%	18.6 per 100	10.9%			
Lockhart	47.9 per 100	85.8%	22.0 per 100	NR			

	EMPLOYMENT				
2020 — ABS					
	LEARNING OR EARNING AT AGES 15 TO 19	UNEMPLOYMENT			
NSW	85.0%	4.9%			
MPHN	81.7%	4.8%			
Lockhart	241 (79.3%)	55 (3.0%)			

WEEKLY INCOME				
2021 — ABS				
	LESS THAN \$650 TOTAL Household Weekly Income	MORE THAN \$3,000 TOTAL Household Weekly Income		
NSW	16.3%	26.9%		
MPHN	22.3%	13.9%		
Lockhart	22.6%	13.4%		

INCOME SUPPORT							
			2020 — ABS				
	AGE PENSIONERS		DISABILITY SUPPO	ORT PENSIONERS	FEMAL	E SOLE PARENT PENSIONERS	
NSW	59.0%		4.6	%		3.1%	
MPHN	60.3%		6.3	%		5.4%	
Lockhart	423 (55.1%)		392 (9	9.1%)		36 (5.4%)	
	PEOPLE RECEIVING AN UNEMPL Benefit	LOYMENT PEOPLE RECEIVING A Benefit lo			YOUNG PEOPLE AGED 16 TO 24 RECEIVIN An Unemployment Benefit		
NSW	6.2%		5.6	5%		5.0%	
MPHN	7.1%		6.4	6.4%		6.1%	
Lockhart	95 (5.4%)		86 (4	.9%)		12 (5.3%)	
	LOW INCOME, WELFARE- Dependent families (with Children)	HEALTH CARE CARD Holders		PENSIONER CONCESS Holders	ION CARD	SENIORS HEALTH CARD Holders	
NSW	4.6%	6.7%		21.1%		10.9%	
MPHN	5.4%	7.3%		27.3%		10.3%	
Lockhart	51 (6.4%)		155 (6.2%)	728 (28.2%	%)	728 (28.2%)	

	HOUSEHOLDS					
2020 — ABS						
	HOUSEHOLDS IN DWELLINGS RECEIVING RENT ASSISTANCE FROM The Australian Government	DWELLINGS RENTED FROM THE GOVERNMENT HOUSING Authority				
NSW	18.3%	4.7%				
MPHN	17.9%	3.4%				
Lockhart	145 (13.6%)	19 (1.7%)				

HOUSEHOLDS				
2020 — ABS				
	*MORTGAGE STRESS	*RENTAL STRESS		
NSW	9.6%	27.9%		
MPHN	8.2%	25.7%		
Lockhart	24 (7.0%)	168 (24.4%)		

^{*}Low income households (households in bottom 40% of income distribution)

FAMILIES FAMILIES				
2018 — ABS				
	SINGLE PARENT FAMILIES WITH CHILDREN AGED LESS THAN 15 YEARS	JOBLESS FAMILIES WITH CHILDREN AGED LESS THAN 15 YEARS	*CHILDREN IN FAMILIES WHERE THE Mother has low educational Attainment	
NSW	19.9%	12.0%	19.6%	
MPHN	23.5%	13.2 %	25.0%	
Lockhart	46 (16.4%)	40 (14.4%)	143 (22.7%)	

^{*}Children aged less than 15 years living in families where the female parent's highest level of schooling was year 10 or below/female parent did not attend school

ETHNICITY ETHNICITY					
2018 — ABS					
	AUSTRALIAN-BORN POPULATION	PEOPLE BORN (OVERSEAS) IN Predominantly English Speaking Countries	PEOPLE BORN IN PREDOMINANTLY NON- English speaking countries		
NSW	65.5%	6.7%	21.1%		
MPHN	82.2%	3.2%	5.4%		
Lockhart	2,644 (84.7%)	97 (3.1%)	44 (1.4%)		

ETHNICITY ETHNICITY					
2018 — ABS					
	PEOPLE BORN IN A PREDOMINANTLY Non-English Speaking (NES) Country Resident in Australia for Five Years Or More	PEOPLE BORN IN A PREDOMINANTLY Non-English Speaking (NES) Country Resident in Australia for Less Than Five Years	PEOPLE BORN OVERSEAS REPORTING Poor Proficiency in English		
NSW	16.1%	4.1%	3.4%		
MPHN	3.6%	1.4%	0.9%		
Lockhart	37 (1.2%)	3 (0.1%)	6 (0.2%)		

ETHNICITY						
	2020 — ABS					
COUNTRY	LOCKHART	NSW	MPHN			
China	6 (0.2%)	(3.1%)	(0.2%)			
India	0	(1.9%)	(0.9%)			
Italy	0	(0.7%)	(0.6%)			
Vietnam	0	(1.1%)	(0.1%)			
Philippines	0	(1.2%)	(0.5%)			
Malaysia	7 (0.2%)	(0.4%)	(0.1%)			
Germany	3 (0.1%)	(0.4%)	(0.2%)			
Greece	0	(0.4%)	(0.0%)			
Sri Lanka	0	(0.4%)	(0.1%)			

DWELLINGS WITH NO MOTOR VEHICLE				
2016 – ABS				
NSW	9.2%			
MPHN	MPHN 5.4%			
Lockhart	36 (3.2%)			

ABORIGINAL AND TORRES STRAIT ISLANDER PEOPLE

INDIGENOUS STATUS				
2020 — ERP				
ABORIGINAL POPULATION AS PROPORTION OF TOTAL POPULATION				
	NUMBER	%		
NSW	288,565	3.5		
MPHN 15,408 5.8				
Lockhart	148	4.4		

INDIGENOUS STATUS								
2020 — ERP (NON-ABS)								
	0-4 Y	EARS	5-9 YI		10-14	/EARS	15-19	YEARS
	NUMBER	%	NUMBER	%	NUMBER	%	NUMBER	%
NSW	35,878	12.4	32,475	11.3	30,562	10.6	27,034	9.4
MPHN	2,036	13.2	1,809	11.7	1,754	11.4	1,421	9.2
Lockhart	22	14.9	19	12.7	20	13.2	13	9.1
	20-24	YEARS	25-29 \	/EARS	30-34 \	/EARS	35-39	YEARS
	NUMBER	%	NUMBER	%	NUMBER	%	NUMBER	%
NSW	25,822	8.9	23,468	8.1	18,297	6.3	15,880	5.5
MPHN	1,330	8.6	1,127	7.3	981	6.4	852	5.5
Lockhart	7	5.0	11	7.1	8	5.6	8	5.3
	40-44	YEARS	45-49	YEARS	50-54	YEARS	55-59	YEARS
	NUMBER	%	NUMBER	%	NUMBER	%	NUMBER	%
NSW	13,315	4.6	14,480	5.0	13,599	4.7	11,881	4.1
MPHN	679	4.4	678	4.4	708	4.6	662	4.3
Lockhart	6	3.8	7	4.4	6	4.3	8	5.6
		60-64	YEARS			65+\	/EARS	
	NUI	MBER	9	6	NUME	BER	9/	Ď
NSW	9,5	585	3.3		16,290		5.6	
MPHN	4	86	3.2		88	5	5.	7
Lockhart		5	3.	4	8		5.	5

VOCATIONAL EDUCATION				
2020 — ABS				
PARTICIPATION IN VOCATIONAL EDUCATION AND TRAINING - ABORIGINAL POPULATION				
	NUMBER	ASR PER 1,000		
NSW	50,250	17.8		
MPHN	2,715	18.6		
Lockhart	183	22.3		

MOTHERS, BABIES AND CHILDREN

TOTAL FERTILITY RATE					
2020 — ABS					
	BIRTHS	TOTAL FERTILITY RATE			
NSW	95,459	1.73			
MPHN	2,949	2.26			
Lockhart 36 2.37					

MOTHERS AND BABIES						
2017 TO 2019 — ABS						
SMOKING DURING PREGNANCY						
	SMOKING DURING PREGNANCY	% SMOKING DURING PREGNANCY				
NSW	25,876	9.0				
MPHN	1,488	17.1				
Lockhart	19 15.1					

IMMUNISATION						
2018 – ABS						
	CHILDREN FULLY IMMUNISED CHILDREN FULLY IMMUNISED AT 1 YEAR OF AGE AT 2 YEARS OF AGE			CHILDREN FULLY IMMUNISED at 5 years of age		
	NUMBER	%	NUMBER	%	NUMBER	%
NSW	90,965	94.0	90,512	90.2	97,477	94.6
MPHN	2,770	95.2	2,777	93.2	2,696	96.0
Lockhart	42	97.2	44	93.6	44	95.8

CHILD CARE						
2016 — ABS						
	UNPAID CH Own Chile	UNPAID CHILD CARE TO Other Child/ Children				
	NUMBER	%	NUMBER	%		
NSW	1,194,612	19.6	423,262	6.9		
MPHN	34,939	18.3	14,389	7.5		
Lockhart	479	19.3	200	8.1		

RISK FACTORS CHILDREN								
	2020 — ABS							
	ESTIMATED NUMBER OF MALES AGED 2-17 YEARS WHO WERE OVERWEIGHT (BUT NOT OBESE) (MODELLED ESTIMATES)* ESTIMATED NUMBER OF MALES AGED 2-17 YEARS WHO WERE OBESE (MODELLED ESTIMATES)*			ESTIMATED NUMBER OF FEMALES AGED 2-17 YEARS WHO WERE OVERWEIGHT (BUT NOT OBESE) (MODELLED ESTIMATES)*		ESTIMATED NUMBER OF FEMALES AGED 2-17 Years who were obese (Modelled Estimates)*		
	NUMBER	ASR PER 100	NUMBER	ASR PER 100	NUMBER	ASR PER 100	NUMBER	ASR PER 100
NSW	137,863	17.4	59,650	7.5	125,141	16.6	54,849	7.3
MPHN	4,889	18.8	2,866	11.1	4,423	17.7	2,668	10.7
Lockhart	78	23.6	42	12.7	69	17.9	40	10.5

VULNERABLE CHILDREN							
2021 — AEDC							
DEVELOPMENTALLY VULNERABLE ON ONE OR MORE DOMAINS DEVELOPMENTALLY VULNERABLE ON TWO OR MORE DOMAIN							
	NUMBER	%	NUMBER	%			
NSW	19,067	21.2	9,510	10.5			
MPHN	647	23.5	336	12.2			
Lockhart	11	26.8	3	7.3			
	DUVERGAL HEALTH AND WELLDEING DUVERGAL HEALTH AND WELLDEING DUVERGAL HEALTH AND WELLDEING						

	PHYSICAL HEALTH AND WELLBEING - Developmentally vulnerable		PHYSICAL HEALTH AND WELLBEING - Developmentally at Risk		PHYSICAL HEALTH AND WELLBEING - Developmentally on Track	
	NUMBER	%	NUMBER	%	NUMBER	%
NSW	8,513	9.4	11,246	12.4	70,671	78.1
MPHN	278	10.1	314	11.4	2,168	78.5
Lockhart	4	9.8	9	22.0	28	68.3

	SOCIAL COMPETENCE - Developmentally vulnerable		SOCIAL COMPETENCE - Developmentally at Risk		SOCIAL COMPETENCE - Developmentally on Track	
	NUMBER	%	NUMBER	%	NUMBER	%
NSW	8,458	9.4	13,175	14.6	68,789	76.1
MPHN	293	10.6	396	14.4	2,070	75.0
Lockhart	2	4.9	8	19.5	31	75.6

	EMOTIONAL MATURITY - Developmentally vulnerable		EMOTIONAL MATURITY - Developmentally at Risk		EMOTIONAL MATURITY - Developmentally on track	
	NUMBER	%	NUMBER	%	NUMBER	%
NSW	6,550	7.3	12,300	13.7	71,203	79.1
MPHN	235	8.5	424	15.4	2,093	76.1
Lockhart	4	9.8	7	17.1	30	73.2

VULNERABLE CHILDREN						
		2021 — AEDC				
	LANGUAGE AND COGNITIVE SKILLS (SCHOOLS-BASED) - Developmentally at risk		LANGUAGE AND COGNITIVE SKILLS (SCHOOLS-BASED) - Developmentally on track			
	NUMBER %		NUMBER	%		
NSW	8,092	9.0	76,676	84.9		
MPHN	271	9.8	2,256	81.8		
Lockhart	2	4.9	35	85.4		

		ND GENERAL KNOWLEDGE - Tally at risk	CHILDREN DEVELOPMENTALLY ON TRACK IN COMMUNICATION DOMAIN		
	NUMBER %		NUMBER	%	
NSW	14,068	15.6	68,741	76.0	
MPHN	377	13.6	2,148	77.8	
Lockhart	5	12.2	33	80.5	

HPV						
2021						
		LES AGED 12-13 YEARS IN MID- Ed dose 3 by 2016	HPV VACCINE COVERAGE: MALES AGED 12-13 YEARS IN MID- 2013, who received dose 3 by 2016			
	NUMBER	%	NUMBER	%		
NSW	36127	83.0	35834	78.2		
MPHN	1342	87.4	1313	86.2		
Lockhart	17	79.1	17	80.2		

OLDER PEOPLE

OLDER PERSONS									
	2016 — ABS								
LIVING ALONE, LIVING ALONE; WITH DISABILITY; 65+ years Low income, 65+ years									
	NUMBER	%	NUMBER	%					
NSW	275,196	24.4	29,883	2.6					
MPHN	11,625 25.0 1,088 2.3								
Lockhart	Lockhart 145 23.8 10 1.6								

		ALONE, Years	LIVING ALONE; WITH DISABILITY; Low Income, 85+ Years		
	NUMBER	%	NUMBER	%	
NSW	52,065	41.8	3,677	2.9	
MPHN	11,625	33.2	85	1.3	
Lockhart	145	41.0	0	-	

OLDER PERSONS								
2016 — ABS								
PEOPLE WITH A PROFOUND OR SEVERE DISABILITY AND LIVING IN MODELLED ESTIMATES OF PERSONS WITH ONE OR MORE THE COMMUNITY, 65+ YEARS ACTIVITIES FOR WHICH ASSISTANCE IS NEEDED, 65+ YEARS								
	NUMBER	%	NUMBER	ASR PER 100				
NSW	170,636	14.9	414,338	36.7				
MPHN	5,293 12.3 15,435 35.4							
Lockhart	76	12.3	125	38.5				

OLDER PERSONS							
	2018 — ABS						
PEOPLE WITH MODERATE OR MILD CORE ACTIVITY LIMITATION, PEOPLE WITH SEVERE CORE ACTIVITY LIMITATION, 65+ years - modelled estimates 65+ years — modelled estimates							
	NUMBER	%	NUMBER	ASR PER 100			
NSW	234,212	29.5	98,912	11.8			
MPHN	15,650 33.6 6,101 13.0						
Lockhart	206	35.1	83	12.9			

POPULATION HEALTH

MORTALITY

MEDIAN AGE OF DEATH								
2016 TO 2020 — ABS								
	MALES FEMALES							
	NUMBER OF DEATHS	MEDIAN AGE (YEARS)	NUMBER OF DEATHS	MEDIAN AGE (YEARS)				
NSW	138,921	79.0	129,720	85.0				
MPHN	5,976 78.0 5,161 84.0							
Lockhart	91	80.0	62	82.5				

'Premature mortality' refers to deaths that occur at an age earlier than a selected cut-off. For this analysis, deaths among people aged under 75 are considered premature.

PREMATURE DEATHS							
		2016 TO 2020 — ABS					
	MA	ILES	FEMA	LES			
	NUMBER OF DEATHS	ASR PER 100,000	NUMBER OF DEATHS	ASR PER 100,000			
NSW	54,579	292.0	33,272	178.1			
MPHN	2,426	370.3	1,291	205.8			
Lockhart	34	447.7	15	216.2			

PREMATURE DEATHS BY CAUSE							
		201	16 TO 2020 — ABS				
DEATHS FROM CANCER, DEATHS FROM LUNG CANCER, DEATHS FROM BREAST CANCER 0 to 74 years 0 to 74 years (females), 0 to 74 years							
	NUMBER OF Deaths	ASR PER 100,000	NUMBER OF Deaths	ASR PER 100,000	NUMBER OF Deaths	ASR PER 100,000	
NSW	36,591	97.7	7,425	19.8	2,757	14.8	
MPHN 1,451 110.1 265 19.8 104 16.7							
Lockhart	18	119.1	NR	-	NR	-	

	DEATHS FROM CIRCULATORY System diseases, 0 to 74 years		DEATHS FROM ISCHAEMIC Heart Disease, 0 to 74 years		DEATHS FROM RESPIRATORY System diseases, 0 to 74 years		DEATHS FROM EXTERNAL Causes, 0 to 74 years	
	NUMBER OF Deaths	ASR PER 100,000	NUMBER OF Deaths	ASR PER 100,000	NUMBER OF DEATHS	ASR PER 100,000	NUMBER OF DEATHS	ASR PER 100,000
NSW	15,586	41.7	7,338	19.6	6,259	16.7	10,092	27.2
MPHN	680	52.0	340	26.1	305	22.7	451	41.1
Lockhart	11	73.8	6	39.9	NR	-	7	60.8

AVOIDABLE DEATHS BY CAUSE								
			2016 TO	2020 — ABS				
	DEATHS FROM SUICIDE AND SELF-INFLICTED INJURIES AGED 0 TO 74 YEARS		DEATHS FROM OTHER EXTERNAL CAUSES OF MORTALITY (TRANSPORT ACCIDENTS; ACCIDENTAL DROWNING AND SUBMERSION; ETC.) AGED 0 TO 74 YEARS		DEATHS FROM TRANSPORT ACCIDENTS AGED 0 TO 74 Years			
	NUMBER OF Deaths	ASR PER 100,000	NUMBER OF Deaths	ASR PER 100,000	NUMBER OF Deaths	ASR PER 100,000	NUMBER OF Deaths	ASR PER 100,000
NSW	4,738	12.8	4,115	11.1	5,354	14.5	1,678	4.5
MPHN	215	19.4	192	17.9	236	21.7	115	10.5
Lockhart	NW*	27.8	NW*	24.1	NW*	23.6	NW*	-

^{*}NW = number withheld due to small sample size causing issues with identification/anonymity.

	DEATHS FROM CANCER, 0 to 74 years			LORECTAL CANCER, 4 Years	DEATHS FROM BREAST CANCER (Females), 0 to 74 years	
	NUMBER OF Deaths	ASR PER 100,000	NUMBER OF Deaths	ASR PER 100,000	NUMBER OF Deaths	ASR PER 100,000
NSW	10,601	28.3	3,878	10.4	2,757	14.8
MPHN	458	35.1	163	12.5	104	16.7
Lockhart	6	40.3	0	-	0	-

			SYSTEM	DEATHS FROM CIRCULATORY System diseases, 0 to 74 years		DEATHS FROM ISCHAEMIC Heart Disease, O to 74 Years		DEATHS FROM Cerebrovascular diseases, 0 to 74 years	
	NUMBER OF Deaths	ASR PER 100,000	NUMBER OF Deaths	ASR PER 100,000	NUMBER OF Deaths	ASR PER 100,000	NUMBER OF Deaths	ASR PER 100,000	
NSW	2,638	7.0	12,557	33.6	7,338	19.6	3,044	8.1	
MPHN	118	9.0	557	42.4	340	26.1	110	8.3	
Lockhart	0	-	9	60.0	6	39.9	0	-	

Potentially avoidable deaths, a subset of all premature mortality (deaths under 75 years), and include deaths considered to be potentially preventable (those amenable to screening and primary prevention) and potentially treatable (those amenable to therapeutic interventions).

AVOIDABLE DEATHS BY CAUSE							
		2016 TO 2020 — AB	S				
DEATHS FROM RESPIRATORY SYSTEM DISEASES, DEATHS FROM CHRONIC OBSTRUCTIVE PULMONARY DISEASE, 0 to 74 years 0 to 74 years							
	NUMBER OF DEATHS	ASR PER 100,000	NUMBER OF DEATHS	ASR PER 100,000			
NSW	4,128	11.0	3,833	10.2			
MPHN	217 16.0 195 14.2						
Lockhart	0	-	0	-			

HEALTH CONDITIONS

HEALTH CONDITIONS									
2017 TO 2018 — ABS									
ESTIMATED NUMBER OF ESTIMATED NUMBER OF PEOPLE ESTIMATED NUMBER OF PEOPLE WITH RESPIRATORY System diseases With asthma People with chronic Obstructive pulmonary Disease								MENTAL AND	
	NUMBER	ASR PER 100	NUMBER	ASR PER 100	NUMBER	ASR PER 100	NUMBER	ASR PER 100	
NSW	1,465,620	18.8	827,910	10.6	175,425	2.2	813,094	20.9	
MPHN	47,533	20.0	31,355	13.0	6,690	2.5	25,718	21.8	
Lockhart	635	20.5	412	13.0	86	2.3	338	22.4	

	ESTIMATED NUMBER OF PEOPLE WITH HEART, STROKE AND VASCULAR DISEASE		ESTIMATED NUMBE Arthi		ESTIMATED NUMBER OF PEOPLE WITH OSTEOPOROSIS		
	NUMBER	ASR PER 100	NUMBER	ASR PER 100	NUMBER	ASR PER 100	
NSW	385,093	4.9	1,216,498	15.5	334,562	4.2	
MPHN	15,044	5.3	52,723	19.2	10,262	3.6	
Lockhart	186	4.6	681	681 17.5		2.8	

CANCER INCIDENCE								
2014 TO 2018 — NSW CANCER REGISTRY								
PROSTATE CANCER BREAST CANCER BOWEL CANCER LUNG CANCER MELANOMA DSER PER 100,000 DSER PER 100,000 DSER PER 100,000 DSER PER 100,000								
NSW	70.8	63.3	37.6	43.1	52.9			
MPHN 79.4 65.9 38.8 46.0 56.0								
Lockhart	Lockhart 87.3 107.4 29.3 39.2 96.1							

MENTAL HEALTH PREVALENCE							
2021 — ABS							
PEOPLE AGED 15 YEARS AND OVER WHO REPORTED THEY HAD A MENTAL HEALTH CONDITION (Including depression or anxiety) People aged 0-14 years who reported they Had a mental health condition (Including depression or anxiety) (Including depression or anxiety)							
	NUMBER	ASR PER 100	NUMBER	ASR PER 100			
NSW	617,947	9.4	28,463	1.9			
MPHN	21,873	11.0	1,140	2.4			
Lockhart	318	12.5	21	3.1			

2017 TO 2018 — AIHW								
	HIGH OR VERY HIGH PSYCHOLO Kessler 10	AGED 18 YEARS AND OVER WITH GICAL DISTRESS, BASED ON THE DISCALE (K10) DIESTIMATES)	ESTIMATED NUMBER OF FEMALES AGED 18 YEARS AND OVER WITH HIGH OR VERY HIGH PSYCHOLOGICAL DISTRESS, BASED ON The Kessler 10 Scale (K10) (Modelled Estimates)					
	NUMBER	ASR PER 100	NUMBER	ASR PER 100				
NSW	321,815	10.8	427,731	14.0				
MPHN	9,217	10.3	11,852	13.1				
Lockhart	106	9.0	134	11.8				
		NT PRESENTATIONS: TOTAL . And Behavioural disorders	ADMISSIONS FOR MENTAL HE Persons - Al					
	NUMBER	ASR PER 100	NUMBER	ASR PER 100				
NSW	103,101	1,283.8	2,601	1,077.9				
MPHN	12,626	5,428.7	89	1,002.2				

DISABILITY							
2016 — ABS							
		TO PERSONS WITH A Bility	PEOPLE WITH A PRO Disability (include Term accom All a	S PEOPLE IN LONG- Modation),	DISABILITY AN	OFOUND OR SEVERE D Living in the Y, all ages	
	NUMBER	%	NUMBER	%	NUMBER	%	
NSW	709,415	11.6	398,746	5.6	346,451	4.9	
MPHN	22,985	12.0	12,717	5.7	10,906	4.9	
Lockhart	312	12.6	190	6.8	154	5.5	

4,483.3

132

Lockhart

SELF ASSESSED HEALTH						
2017 TO 2018 — ABS						
	ESTIMATED NUMBER OF PEOPLE AGED 15 YEARS AND OVER WITH FAIR OR POOR SELF-ASSESSED HEALTH					
	NUMBER	ASR PER 100				
NSW	897,768	14.1				
MPHN	MPHN 31,578 15.3					
Lockhart	414	14.8				

604.8

74

CANCER SCREENING								
2015 TO 2016 — NSW CANCER COUNCIL								
BREAST SCREENING RATE CERVICAL SCREENING BOWEL SCREENING WOMEN 50 - 69 YEARS WOMEN 20 - 69 YEARS PEOPLE 50 - 74 YEARS								
	NUMBER	%	NUMBER	%	NUMBER	%		
NSW	900,743	52.8	2,204,749	55.3	512,013	38.3		
MPHN	30,300	30,300 53.8 63,082 52.3 18,684 40.7						
Lockhart	426	53.2	799	61.0	225	40.1		

HEALTH BEHAVIOURS

	RISK FACTORS									
	2017 TO 2018 — ABS									
	ESTIMATED POPULATION, AGED 18 YEARS AND OVER, WHO UNDERTOOK LOW, VERY LOW OR NO EXERCISE IN THE PREVIOUS WEEK (MODELLED ESTIMATES)		ESTIMATED NUMBER OF PEOPLE AGED 18 YEARS AND OVER WITH ADEQUATE FRUIT INTAKE (MODELLED ESTIMATES)				ESTIMATED NUMBER OF PEOPLE AGED 18 Years and over who had high blood Pressure			
	NUMBER	ASR PE	R 100	N	UMBER	ASR PER 100	NUN	MBER	A	SR PER 100
NSW	900,743	65.	.3	2,2	204,749	55.3	512	,013		38.3
MPHN	30,300	70.	.2	6	3,082	52.3	18,	684		40.7
Lockhart	1,736	72.	.2	1	1,240	50.8	6	01		21.7
	ESTIMATED I Males aged 1 Over who wer (But not	18 YEARS AND E overweight	ESTIMATED NUMBER OF MALES AGED 18 YEARS AND OVER WHO WERE OBESE				ESTIMATED NUMBER OF Females aged 18 Years and Over who were obese			
	NUMBER	ASR PER 100	NUME	BER	ASR PER 100	NUMBER	ASR PER 100	NUMBEI	R	ASR PER 100
NSW	1,226,016	41.1	952,0	093	32.1	890,104	29.0	917,64	3	29.9
MPHN	38,354	42.5	34,8	377	37.4	27,538	29.6	33,267	7	34.9
Lockhart	500	41.8	45	9	36.1	349	29.7	416		33.6
		UMBER OF MALE Current Smoke				ESTIMATED NUM Were cu	BER OF FEMALES Rrent Smokers			
	NUM	IBER	Į.	ASR PER	100	NUMBER		AS	SR PEI	R 100
NSW	511,	157		17.2		355,3	337		11.	7
MPHN	18,8	307		21.9		12,499			14.	1
Lockhart	22	25		20.8	3	140)		12.	4
	WHO CONSUM	ESTIMATED NUMBER OF MALES AGED 18 YEARS AND OVE Who consumed more than two standard alcoholi Drinks per day on average (modelled estimates)		COHOLIC	LIC CONSUMED MORE THAN TWO		ALES AGED 18 YEARS AND OVER WHO D Standard Alcoholic Drinks Per : (Modelled Estimates)			
	NUM	IBER	Į.	ASR PER	100	NUME	BER	A	SR PE	R 100
NSW	676,	.575		22.7	7	258,3	306		8.	5
MPHN	27,	133		29.7	7	10,2	22		11.	1
Lockhart	37	73		30.6	5	137		11.6		

CRIME STATISTICS 2021 — BOSCAR								
SEXUAL ASSAULT DOMESTIC ASSAULT LIQUOR OFFENCES ASR PER 100,000 ASR PER 100,000 ASR PER 100,000								
NSW	81.1	382.1	106.9					
MPHN	MPHN 100.8 429.2 197.1							
Lockhart	Lockhart 98.0 298.2 107.8							

CRIME STATISTICS									
	2021 — BOSCAR								
		USE/	POSSESS						
	COCAINE AMPHETAMINES ECSTASY CANNABIS NARCOTICS ASR PER 100,000 ASR PER 100,000 ASR PER 100,000 ASR PER 100,000								
NSW	270.9	92.2	25.2	217.7	14.2				
MPHN 16.0 96.7 17.2 257.5 2.3									
Lockhart	7.8	30.7	0.0	98.2	NR				

TECHNICAL NOTES

MPHN LGA DATA PRIORITISATION TOOL

MPHN's Data Prioritisation Tool applies a score based on the LGA result in relation to the state average and Murrumbidgee average results.

A score of zero to four is applied based on the difference between the LGA proportion or Age Standardised Rate (ASR) (see page 24 for explanation) result compared to the NSW average score.

Within the list of LGA scores, a score of one is given to the LGAs with either a higher or lower score than the average for the Murrumbidgee region.

The two scores are summed to give a total score.

To highlight the impacts, colour coding is applied to the range of 0-5 totals of both the NSW and Murrumbidgee averages combined.

MPHN's LGA Data Prioritisation Tool is also applied to socio-demographic variables such as age, gender etc.

MATRIX SCORING SYSTEM COMPARED TO THE NSW AVERAGE									
PROPORTION	ASR (Two digit response)	ASR (Three digit response)	SCORE						
Less than 0 or negative score	Less than 0 or negative score	Less than 0 or negative score	0						
0 and 10%	0 -10	0 - 100	1						
10.1% - 29.9%	11 – 30	101-300	2						
30% - 49.9%	31 - 50	301 - 500	3						
>50%	51 +	501 +	4						
Higher or lower than Murrumbidgee average dependent on orientation of response (positive or negative)									
all values above/below average 1									

IMPACT SCORE	
0	LOW impact
1	
2	
3	
4	
5	HIGH impact

The following notes provide a definition for terms used in this report that may not be familiar to readers.

SOCIO-ECONOMIC INDEXES FOR AREAS (SEIFA)

The SEIFA score in this report is an index score that allows geographical ranking in Australia. The score measures socio-economic advantage and disadvantage, information is obtained from the five-yearly Australian Census.

SEIFA is a group of four indexes, which are used to rank areas broadly by their level of advantage or disadvantage. It consists of four measures:

- · Index of Relative Socio-Economic Advantage-Disadvantage
- Index of Relative Socio-Economic Disadvantage
- Index of Education and Occupation
- Index of Economic Resources

Some examples of variables that are measured and form the indexes are (this is limited, there are more variables that are considered):

- Percentage of low-income households
- Unemployment rate
- Percentage of low-skilled occupations and people without qualifications
- Percentage of households without a car
- Percentage of people living overcrowded dwellings
- Percentage of people under 70 with a disability
- Percentage of children with jobless parents
- Percentage of people with poor English proficiency

SEIFA scores are expressed on a scale where lower numbers always mean more disadvantage and less advantage, while higher numbers mean less disadvantage and more advantage. They are standardised so that the average for Australia is always close to 1,000.

AGE STANDARDISED RATE (ASR)

A method of adjusting the crude rate to eliminate the effect of differences in population age structures when comparing crude rates for different periods of time, different geographic areas and/or different population sub-groups (e.g. between one year and the next and/or States and Territories, Indigenous and non-Indigenous populations).

Adjustments are usually undertaken for each of the comparison populations against a standard population (rather than adjusting one comparison population to resemble another). Sometimes a comparison population is referred to as a study population.

ASRs are usually used for valid comparisons of rates in different populations, such as incidence rates, prevalence rates, mortality rates and health service utilisation rates.

An example of why they are used is because the numbers of deaths per 100,000 population are influenced by the age distribution of the population. Two populations with the same age-specific mortality rates for a cause of death will have different overall death rates if the age distributions of their populations are different. Age standardized mortality rates adjust for differences in population age distribution by applying the observed age-specific mortality rates for each population to a standard population. The age-standardised mortality rate is a weighted average of the age-specific mortality rates per 100,000 persons, where the weights are the proportions of persons in the corresponding age groups of the standard population.

















